

Unit # 1358

## BID FORM

To: United Keetoowah Band of Cherokee Indians in Oklahoma  
Housing Department  
Attention: Nicole O'Kelly

Client:

**#1358**

**Tahlequah, Ok**

I, the undersigned contractor, have inspected the above listed property of the client and understand the extent and character of the work to be completed as described in the scope of work as provided by the UKB Housing Department. In no event will a failure to inspect the site constitute grounds for a claim after contract award.

I propose to furnish all labor, materials, and equipment necessary to accomplish the work, as listed in the documents, on the client's property listed above for the sum of: \$ \_\_\_\_\_

(\_\_\_\_\_Dollars)

(Be sure to write out the dollar amount)

I agree to commence the work once the Notice to Proceed is received. I agree to complete the work within the timeframe stated in the Notice to Proceed.

\_\_\_\_\_  
Company Name

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Title

**THIS BID MUST HAVE A BREAKDOWN OF MATERIALS AND LABOR:**

**Materials:** \_\_\_\_\_

**Labor Expense:** \_\_\_\_\_

# WorkWrite-Up and Bid Document/By Area

Contractor Name: \_\_\_\_\_

#1358

Contractor Signature: \_\_\_\_\_

*This document must be signed to be a valid bid.*

PROJECT TYPE: Reconstruction

Bid Due Date: \_\_\_\_\_

## Tallegual, OK

Work Description /

Gen. Spec.

Qty Unit

Item Bid

Area

EXTERIOR

1

Footing/Single-Pour/Concrete. Install new single-pour footing at perimeter of structure.

Piers shall be specified separately.

This Construction will have 9 units and each unit will have 6 runners per unit 26' per runner  
/156' per unit. With total of 1404 up to "code"

Div. # 3.R.

1404LF



56 x 35 Duplex size

Total: \_\_\_\_\_

All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement.

